

Advanced Concepts for Containment of Hydrogen and Hydrogen Storage Materials

Andrew Weisberg, Salvador Aceves,
Francisco Espinosa, Tim Ross,
Gene Berry, Scott Perfect
Lawrence Livermore National Laboratory
May 24, 2005

This presentation does not contain any proprietary or confidential information

Project ID # ST16

Overview



Timeline

- Start date: October 2003
- End date: September 2008
- Percent complete: 30%

Budget

- Funding received in FY04: \$500 k
- Funding for FY05: \$625 k
- SCAQMD funding:\$500 k

Barriers

- B. Weight and volume
- D. Durability
- E. Refueling Time
- H. Sufficient fuel storage for acceptable vehicle range
- I. Materials
- K. Balance of plant (BOP) components
- M. Hydrogen capacity and reversibility

Partners

- Demonstrating cryotank technology (SCI, SunLine, funded by SCAQMD)
- Working with BMW on cryo storage
- Spencer composites, CRADA with Automotive Composites Consortium, aerospace work funded by DARPA
- Collaboration with many Universities

Objectives: We are developing high performance conformable containers that can operate under extreme conditions, as neede for hydrogen and hydrogen storage material containment




Liquid: develop conformable containers that can operate at extremely low temperature (20 K) and wide range of pressures (100-5000 psi)



Compressed: develop containers for very high pressure (10,000 psi) and moderate temperature (up to 100°C)




Chemisorbed: develop conformable containers for high temperature operation and efficient thermal management




Physisorbed: develop compact containers that operate over wide range of conditions and provide efficient thermal management


Approach: we are developing innovative concepts for hydrogen and hydrogen storage material containment for efficient thermal management at cryogenic or high temperatures



Conformable containers
efficiently use available space
in the vehicle. Ribs and struts
provide heat transfer paths for
efficient thermal management




Insulated pressure vessels are needed for cryogenic operation with low evaporative losses. Supercritical hydrogen (p~5000 psi, T≤50 K) has the potential to meet the 2015 DOE goals



Hydrogen absorbed in liquid nitrogen is safe, easy to dispense, light and compact w, 5-24-2005

Accomplishments: We have analyzed multiple geometries for continuous fiber conformable containers and selected an optimum design






• Determined optimum geometry and conducted extensive finite element analysis

• Colors in figures indicate regions with stress concentration

We have determined an optimum design for continuous fiber conformable containers and we are moving toward experimental testing of small scale components



- Have conducted extensive finite element analysis of our vessel design
- In the process of building small scale vessels (10 cm long) for component testing
- Steel plates simulate series of segments
- To be tested in high pressure lab

We have produced the first manufacturable macrolattice structure for conformable pressure vessels





Appears cubic

Actually C3i

Reduced Symmetry

Struts pass each other, avoid any nodes

 Only 2 struts pass close to one another at any point (not 3)


Weak glue bonds
'Stitched' together
by robot bonder
Bond corridors

Model has correct volume fraction for best composite structure

Area ratio 1/18 on each axis (or 1/6th struts by volume) was designed for 22,000 psi burst with uniaxial struts that are built to fail at 400,000 psi

We have built a generation zero prototype (functional model that can be pressurized) of a macrolattice pressure vessel







Custom Neoprene Gasket is bonded to join 12 edges at 8 corners

Polycarbonate skin faces (6 identical)


- Design and construction completed
- Vessel has high volumetric efficiency (projected 84%)
- Extensively analyzed by finite element

Our second generation zero prototype is capable of resisting pressure and it has hollow struts for improved thermal management



• Seals added in second prototype

- Details include piston-like o-ring seal between core rods and faces (rigid in bending) which can tolerate 0.035" expansion to mimic composite strain; and edge seal backing groove to tolerate very high proof pressures (to qualify prototype at 5:1 SF)






- Seals tolerate 0.8% shear strain
- Much lower shear stiffness vs. axial stiffness (100:1) enables demo of major safety feature = content retention while warped



Tubing replaces solid core rods to demo heat exchange


Our first generation insulated pressure vessel has demonstrated the possibility of flexible refueling and operation with liquid and compressed hydrogen





- Fueling with CH₂ for lower energy consumption (75% less storage energy vs. LH₂)
- 2X-3X longer range with LH₂
- Successfully conducted proof of concept experiment in SunLine pickup truck (funded by SCAQMD)
- Meets 2005 DOE weight goal
- 1.67 kWh/kg, 0.77 kWh/L, 3600 psi
- Works in the vertical position
- Can be used for storage materials (cryogenic carbon)
- Wrote set of certification standards (funded by AQMD) DOE H₂ Program Annual Review, 5-24-2005

Our second generation insulated pressure vessel has much improved volume, weight and operational performance with respect to previous design




- Much improved performance
- Meets 2010 DOE weight and 2005 volume goals
- 2.32 kWh/kg, 1.22 kWh/L, 5000 psi
- Works in the horizontal position
- Fits across the bed of a compact pickup truck or inside the trunk of a midsize car
- Projected to virtually eliminate evaporative losses
- Very good liquid hydrogen tank
- To be tested in collaboration with BMW

 DOE H₂ Program Annual Review, 5-24-2005


We have characterized hydrogen absorption in liquid nitrogen with anticipated refuelability and safety advantages Our results indicate favorable absorption of H₂ into LN₂





Thick lines are for pure hydrogen and thin lines are for mixtures of hydrogen and nitrogen. At ice temperature (273 K), the compressibility factor (and therefore the volume) is higher for the mixture than for the pure H_2 because no absorption occurs. At LN_2 temperatures, considerable absorption occurs, and the mixtures are more compact than the pure H_2


We have examined the entire phase diagram for hydrogen and we have identified supercritical hydrogen (80 K, 1000 bar) as a promising operating point for meeting the 2015 goals



Hydrogen Fraction of Subsystem Mass (dimensionless)

Cooling hydrogen makes it safer: energy release during a sudden failure is a weak function of pressure but a strong function of temperature





Hydrogen absorbed in nitrogen has lower energy because the nitrogen is near the point of liquefaction. Once liquefied, the density of nitrogen is fairly constant and therefore it does not contribute to the expansion energy.

DOE H₂ Program Annual Review, 5-24-2005

Summary of accomplishments: we have achieved considerable progress towards developing high performance containers for hydrogen and hydrogen storage materials

- Designed and built prototype macrolattice conformable vessels
- Analyzed and designed continuous fiber conformable container
- Installed insulated pressure vessel in pickup truck and demonstrated flexible refueling with liquid and compressed H₂
- Designed a new insulated pressure vessel that works in the horizontal position and meets the 2010 DOE weight goal and the 2005 DOE volume goal
- Characterized absorption of hydrogen in nitrogen at low temperatures with anticipated safety and delivery advantages
- Identified supercritical hydrogen as an operating condition that has potential for meeting the 2015 DOE goals
- Wrote 2 patents, 5 invited papers, 2 contributed papers, 1 technical report, 1 set of safety standards and to deliver 2 invited presentations

 DOE H₂ Program Annual Review, 5-24-2005

Responses to reviewers' comments: We have refocused our project plans to directly address the reviewers' comments



- Would like to see more actual testing and see it earlier in the program. We have developed prototypes for conformable vessels and insulated pressure vessels that will be tested this year.
- Need to work with pressure vessel manufacturers. We have worked with SCI for multiple years on cryogenic pressure vessels and with Thiokol/Quantum on lightweight vessels
- It is difficult to see how the 2015 or even the 2010 targets can be met. We are planning to meet the 2010 weight goal with our new insulated pressure vessel. The 2015 targets require the development of high performance tanks for supercritical operation
- Compressed hydrogen is not the answer to on-board storage. Our work is not limited to storage of compressed hydrogen. Our container designs are necessary for cryogenic H₂ and enable efficient thermal management of hydrogen storage materials

Future work (FY05-06)



Analysis

- Continue conceptual analyses and begin detailed analyses
- Begin application analysis
- Analyze thermal management capability of macrolattice

Design

- Conclude conceptual design by creating CAD models of the elements
- Develop engineering requirements for macrolattice components
- Finalize design of second generation insulated pressure vessel

Building and Testing

- Pressure test newly built macrolattice conformable container
- Build and pressure test new insulated pressure vessel
- Build and pressure test continuous fiber conformable container
- Build and test new insulated pressure vessel (with H2BeNAWe)iew, 5-24-2005



Supplemental slides

Publications and presentations



Patents

- Lightweight Cryogenic-Compatible Pressure Vessels for Vehicular Fuel Storage, Salvador M. Aceves, Gene Berry, Andrew H. Weisberg, US Patent 6,708,502 B1, March 23, 2004. World Patent WO 2004/029503 A2, April 8 2004.
- Storage of H2 by Absorption and/or Mixture within a Fluid, Gene Berry and Salvador Aceves, World Patent WO 2005/015076 A1, February 24, 2005.

Publications in Books and Technical Journals

- **Hydrogen Storage and Transportation,** Gene Berry, Joel Martinez-Frias, Francisco Espinoza-Loza, Salvador Aceves, Invited chapter, Encyclopedia of Energy, Volume 3, pp. 267-281, Elsevier Academic Press, New York, 2004.
- **Hydrogen Production,** Gene Berry, Invited chapter, Encyclopedia of Energy, Volume 3, pp. 282-294, Elsevier Academic Press, New York, 2004.
- The Case for Hydrogen in a Carbon Constrained World, Gene D. Berry and Salvador M. Aceves, Invited discussion paper, ASME Journal of Energy Resources Technology, 2005.
- Vehicular Storage of Hydrogen in Insulated Pressure Vessels, Salvador M. Aceves, Gene D. Berry, Joel Martinez-Frias, Francisco Espinosa-Loza, Submitted to the International Journal of Hydrogen Energy, 2005.
- **Cryogenic Hydrogen Storage**, Gene Berry and Salvador Aceves, Invited paper for "Materials for the Hydrogen Economy," CRC Press, 2005.
- Liner Materials for Composite Tanks, Andrew Weisberg, Invited paper for "Materials for the Hydrogen Economy," CRC Press, 2005.

Publication in Refereed Proceedings

Development and Demonstration of Insulated Pressure Vessels for Vehicular Hydrogen Storage, Salvador M. Aceves, Gene D. Berry, Proceedings of the 15th World Hydrogen Energy Conference, Yokohama, Japan, June 27-July 2, 2004.

Technical Report

- **Hydrogen Absorption in Fluids: An Unexplored Solution for Onboard Hydrogen Storage,** Gene D. Berry, Lawrence Livermore National Laboratory Report UCRL-TR-209650, Livermore, CA, February 2005.
- Proposed Standards for Hydrogen and Liquefied Natural Gas Insulated Pressure Vessels, Report to the South Coast Air Quality Management District Auugust 2004

Presentations

- Advanced Hydrogen Containers, Andrew Weisberg, Invited presentation, American Physical Society, March 2005 am Annual Review, 5-24-2005
- Cryogenic Hydrogen Storage, Salvador Aceves, Invited Presentation, Materials for the Hydrogen Economy, September 2005

Hydrogen Safety



The most significant hydrogen hazard associated with this project is:

- Gigajoules of chemical energy released in the chaos of a vehicle crash
- Benchmark is 1 gigajoule = 278 kWh (lower heating value) of 8.33 kg of hydrogen stored on a vehicle
- Chemical energy sufficient to drive 300 miles dwarfs the mechanical energy in compressed fluids or in strained solids (several megajoules of 'spring' energy are stored in a 10,000 psi pressure vessel of automotive size)
- Roughly 5% of motor vehicle accidents result in a fire, all of these penetrate fuel storage, and these accidents are much more lethal (NTSB expert 2002)

Approach to Safety



- Develop containers able to keep their contents inside despite significant impact and deformation
- Develop failure localization features that fail first when hydrogen pressure increases due to a crash
- Work on cryogenic containment of hydrogen or hydrogen materials, which has lower mechanical energy than ambient temperature or hot storage
- Work on liquid nitrogen absorption medium for reduced mechanical energy and reduced possibility of combustion in contact with air
- Demonstrate fast disposal through nozzles that mix released hydrogen with surrounding air to concentrations below the explosive and flammable limits without the possibility of combustion
- Avoid the possibility of combusition using the temperature drop of sonic nozzles and flow velociities above the flame speed of hydrogen+air
- Develop safety standards for cryo-compressed pressure vessels
- Build these nozzles in a slit-shaped form that can be realized in the post-rupture shape of a failure localization feature
- Demonstrate slow disposal through catalytic venting
- Convince those capable of volunteering for regulatory activities to re-word ISO TC197 so that hydrogen released within a container subassembly and mixed with air below the ignition limit or converted to water vapor is considered safe